



SECTION 1: IDENTIFICATION

Product Name	Colortools Water Base Spray Stain Clear Base
Product Code #	250425.00
Manufacturer	Gemini Industries, Inc.
Address	421 SE 27th Street El Reno, OK 73036
Phone	Local: (800) 262-5710 Toll Free: (800) 444-7833
Emergency Contact	CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300 International CHEMTREC, call: 1-800-255-3924
Recommended Use/Restrictions	For Wood Substrates Only.

SECTION 2: HAZARD(S) IDENTIFICATION

Classifications	Acute Toxicity - Skin: Category 4 Eye Damage/Irritant: Category 2B Flammable Liquid: Category 3
Pictograms	 
Signal Word	Warning
Hazard Statements	H312 Harmful if in contact with skin. H320 Causes eye irritation. H226 Flammable liquid and vapor.
Precautionary Statements	P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/other equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash any exposed body parts thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P322 Specific measures (see supplemental first aid instruction on this label if immediate measures such as specific cleansing agent is advised). P337 + P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use appropriate media for extinction if water increases risk. P403 + P235 Store in a well-ventilated place. Keep cool.

P501 | Dispose of contents/container to appropriate waste disposal entity in accordance with local/regional/national/international regulation.

Percent of the mixture consisting of ingredient(s) of unknown toxicity

To the best of our knowledge, there are no additional ingredient(s) present requiring hazardous reporting or health warnings.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Reportable Components	% of Comp.	CAS No.
ETHYLENE GLYCOL MONOPROPYL ETHER	1 - 5%	2807-30-9

SECTION 4: FIRST AID MEASURES

General Advice	Have Safety Data Sheet available when calling Poison Control Center (1-800-222-1222) or physician; or when going to the emergency room.
Eyes	Flush eye with plenty of water for 15 minutes, while lifting eyelid. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical attention. May cause eye burns. Get medical attention.
Skin	Wash skin with soap and water. Though not expected, if irritation occurs, get medical attention.
Inhalation	Though not expected, if breathing is difficult, move to fresh air. If difficulty persists, get medical attention.
Ingestion	Irritation may occur. If irritation persists, get medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Fire Hazard	No
Extinguishing Media	Foam, CO2, Dry Chemical, Water Mist
Special Protective Equipment and Firefighting Procedures	Evacuate all unnecessary personnel. Use full protective equipment. Cool closed containers to prevent pressure build-up. Do not allow product or runoff from fire control measures to enter storm or sanitary sewers or waterways.
Unusual Fire & Explosion	Material may splatter when heated. Dried film may burn.
Hazardous Combustion Products	See Section 10

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions	Keep container closed to avoid spill or accidental release. If spilled, wear safety glasses, protective gloves and other personal protective equipment when cleaning spilled material.
Spills / Leaks	If spill/leak occurs, wear protective equipment. Dike drains to prevent entering



storm or sanitary sewers, rivers, streams, or waterways. Contain spill and cover with inert absorbent material. Place collected material into containers and dispose of according to local and federal regulations.

SECTION 7: HANDLING AND STORAGE

Handling Handle using good industrial hygiene and safety practices. Avoid breathing vapors, spray mists, or dusts. Avoid contact with eyes and skin. Do not take internally. Use adequate ventilation, respiratory and personal protection. Avoid spraying hot surfaces.

Storage Keep container closed when not in use and during transit. Store in a sealed container in a cool, dry environment. Keep from freezing. Use adequate ventilation. Follow label warnings until thoroughly cleaned or until container is sent for disposal. Do not remove or deface labels until empty containers have been destroyed or thoroughly cleaned. Do not transfer product to unlabeled containers. Do not store above 120 deg. F (50 deg. C).

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

Chemical Description	OSHA PEL	ACGIH TLV	Other
ETHYLENE GLYCOL MONOPROPYL ETHER	NOT EST.	NOT EST.	20 ppm (skin) DFG

Engineering Controls USE WITH ADEQUATE VENTILATION. Open all doors and windows to achieve cross-ventilation or provide mechanical ventilation in work and surrounding areas. Maintain cross-ventilation during and after application until all vapors and fumes are gone.

Personal Protective Equipment

Hand Wear gloves to prevent skin contact. Wash hands with soap and water after using and before eating or using tobacco products.

Eyes Wear safety glasses to protect from liquid splash. Ensure eye wash and safety showers are near workstations.

Skin Avoid contact with skin.

Respiratory Ensure fresh air entry during application and drying. Though not expected, increase ventilation if irritation occurs. Wear respirator with particulate filter or dust mask to avoid breathing sanding dusts if needed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear to semi-transparent liquid	Upper Flammability/Explosive Limit	15.80
Odor	Mild	Lower Flammability/Explosive Limit	1.30
pH value	No Data	Vapor Pressure	No Data



Freezing Point (F)	No Data	Vapor Density	No Data
Boiling Point (F)	No Data	Vapor Temperature	No Data
Boiling Range	301.00 - 301.00	Relative Density/Specific Gravity	8.31023
Flash Point (F)	Not Applicable	Solubility	Water Soluble
Flash Point Method Used	P Marten	Partition Coefficient	No Data
Evaporation Rate	Slower than butyl acetate	Auto-Ignition Temperature	No Data
Flammability	No	Decomposition Temperature	No Data
Viscosity	See Tech Data Sheet		

SECTION 10: STABILITY AND REACTIVITY

Chemical Reactivity	Will not occur.
Chemical Stability	Stable.
Conditions to Avoid	High temperatures and humidity.
Materials to Avoid	Not Applicable.
Hazardous Decomposition	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Reportable Components	LD50 Oral	LC50 Inhalation	LD50 Dermal
ETHYLENE GLYCOL MONOPROPYL ETHER	3,089 mg/kg	1,530 ppm (7H mouse)	> 2,000 mg/kg

Inhalation

Description of Effects From Short- and Long-Term Exposure:

Though not expected, vapor and mist may irritate nose, throat, and lungs. Move to fresh air. Dust, sanding dusts and particles may cause nose and throat irritation.

Ingestion

Description of Effects From Short- and Long-Term Exposure:

Swallowing may cause irritation.

Eyes

Description of Effects From Short- and Long-Term Exposure:

Contact with liquid may cause irritation.



Skin

Description of Effects From Short- and Long-Term Exposure:

Contact may cause mild irritation.Harmful if in contact with skin.

Carcinogen Information

Product does not contain carcinogen at or above reportable concentration.

Carcinogens Listing

NTP	No
IARC	No
OSHA	No

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

ETHYLENE GLYCOL MONOPROPYL ETHER

Toxicity to Fish LC50: > 5,000 mg/l - 96 h

Toxicity to Algae EC50: > 100 mg/l - 72 h

Biodegradability Readily biodegradable

Bioaccumulation Not expected

SECTION 13: DISPOSAL CONSIDERATION

Waste materials and empty container must be disposed of in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.

SECTION 14: TRANSPORT INFORMATION

DOT Description

WATERBASE PAINT, NOT REGULATED

SECTION 15: REGULATORY INFORMATION

TSCA Status In compliance with TSCA inventory requirements for commercial purposes.

SARA 312 Regulated Chemical(s) ETHYLENE GLYCOL MONOPROPYL ETHER

SARA 313 Regulated Chemical(s)

California Prop. 65 Not Applicable.



PA Right to know Chemical(s)

NJ Right to know Chemical(s)

MA Right to know Chemical(s)

Canada Not Applicable.

Additional Regulatory Information Not Applicable.

SECTION 16: OTHER INFORMATION

HMIS

Colortools Water Base Spray Stain

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	X

HMIS® Hazardous Material Information System

HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risk, and 4 representing significant hazards or risks. HMIS was developed as a means of identifying and communicating workplace hazards associated with paints and coatings. Ratings are to be used with a fully implemented HMIS program. The workplace employer is responsible for determining the Personal Protection (PPE) code of this material.

HMIS® is the registered mark of the American Coatings Association (ACA)

DISCLAIMER

THE INFORMATION CONTAINED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE RELIABLE. TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ALL INFORMATION IS ACCURATE AND IS PROVIDED IN GOOD FAITH. HOWEVER, NO GUARANTEE OF ACCURACY IS MADE OR IMPLIED.